A Conjecture on Fields of Extremals with Slopes Diverging

Problem 02-006, by L. BAYÓN, J. GRAU, M. RUIZ, AND P. SUÁREZ (University of Oviedo, Spain).

In the study of a variety of problems of hydrothermal optimization [1] in which the hydroplants have a pumping capacity, functionals of the type $F(z) = \int_0^T L(t, z(t), z'(t))dt$ appear, and there arises the need to know the boundary conditions for which extremals exist. If the extremals f_{λ} that satisfy $f_{\lambda}(0) = a$ and $f'_{\lambda}(0) = \lambda$ constitute a central field, the possible boundary conditions for the end point are the values of the interval: $(\lim_{\lambda \to -\infty} f_{\lambda}(T), \lim_{\lambda \to +\infty} f_{\lambda}(T))$. Hence,

$$\lim_{\lambda \to \pm \infty} f_{\lambda}(T) = \pm \infty \Longrightarrow \forall \beta \in \mathbb{R}, \ \exists \lambda \ \text{ such that } \ f_{\lambda}(T) = \beta.$$

If apart from assuming the monotony of $\{f_{\lambda}\}_{\lambda \in \mathbb{R}}$ we assume that

$$|L_z(t, z, z')| \le \alpha; \quad z' \le L_{z'}(t, z, z') \le M z' \ \forall z' > 0; \quad z' \ge L_{z'}(t, z, z') \ge m z' \ \forall z' < 0,$$

then the well-known Du Bois-Reymond equation [2], satisfied by the extremals, enables us to assure that for each $t \in [0, T]$, $\lim_{\lambda \to \pm \infty} f'_{\lambda}(t) = \pm \infty$. However, this does not guarantee what may seem very intuitive and which we conjecture is true: $\lim_{\lambda \to \pm \infty} f_{\lambda}(T) = \pm \infty$.

CONJECTURE. Let f_{λ} be the extremal of the functional F(z) that satisfies the conditions $f_{\lambda}(0) = a$ and $f'_{\lambda}(0) = \lambda$. If

(i)
$$\lambda_1 < \lambda_2 \Longrightarrow f_{\lambda_1}(t) < f_{\lambda_2}(t) \quad \forall t \in (0,T], and$$

(ii)
$$\lim_{\lambda \to \pm \infty} f'_{\lambda}(t) = \pm \infty \quad \forall t \in [0, T],$$

then $\lim_{\lambda \to \pm \infty} f_{\lambda}(T) = \pm \infty$.

Prove or disprove this conjecture. Note that if the collection $\{f'_{\lambda}\}_{\lambda \in \mathbb{R}}$ is monotone, then the conjecture is true simply by applying the theorem of monotone convergence. If $\{f'_{\lambda}\}_{\lambda \in \mathbb{R}}$ is not monotone, it appears difficult to prove the conjecture or find a counterexample.

REFERENCES

- L. BAYÓN AND P. M. SUÁREZ, Multiple objective optimization of hydro-thermal systems using Ritz's method, Math. Probl. Eng., 5 (2000), pp. 379–396.
- [2] J. L. TROUTMAN, Variational Calculus with Elementary Convexity, Springer-Verlag, New York, 1983.

Status. This problem is open.